

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	617	((angle near3 (sens\$4 or detect\$4)) near5 (output near3 shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:47
L2	9	((angle near3 (sens\$4 or detect\$4)) near5 (output near3 shaft)) and (variable near5 (vane or vanes or nozzle or nozzles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 09:53
L3	1	2005-141132.NRAN.	DERWENT	OR	OFF	2005/07/26 09:48
L4	1	2005-141132.NRAN.	DERWENT	OR	OFF	2005/07/26 09:48
L5	1	2004-727560.NRAN.	DERWENT	OR	OFF	2005/07/26 09:49
L6	42	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near5 (vane or vanes or nozzle or nozzles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:01
L7	0	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near5 (vane or vanes or nozzle or nozzles)) and actuat4\$	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:01
L8	31	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near5 (vane or vanes or nozzle or nozzles)) and actuat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:03
L9	3	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near3 geometry) and ((vane or vanes or nozzle or nozzles) near5 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:05
L10	6	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near3 geometry) and actuat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:06

L11	27	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (variable near3 (geometry or nozzle or nozzles or turbine)) and actuat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:21
L12	127	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (electron\$4 near3 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:21
L13	172	((angle near3 (sens\$4 or detect\$4)) and (output near3 shaft)) and (electronic\$4 near3 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:22
L14	56	((angle near3 (sens\$4 or detect\$4)) same (output near3 shaft)) and (electronic\$4 near3 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:25
L15	81	((angle or angular) near3 (sens\$4 or detect\$4)) same (output near3 shaft)) and (electronic\$4 near3 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:31
L16	49	((angle or angular) near3 (sens\$4 or detect\$4)) and ((output near3 shaft) near5 actuat\$4) and (electronic\$4 near3 actuat\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:32
L17	24	((angle or angular) near3 (sens\$4 or detect\$4)) and ((output near3 shaft) near5 actuat\$4) and (electronic\$4 near3 actuat\$4) and variable	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:35
L18	0	60./602.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:35

L19	1184	60/602.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:36
L20	686	60/602.ccls. and actuat\$4	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 10:36
L21	364	60/602.ccls. and actuat\$4 and (electric\$4 or electronic\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:08
L22	13	"6067798"	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 11:52
L23	656432	(actuat\$4 near3 (electric\$4 or electronic\$4)) ((angle or angular or position) near3 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:09
L24	19629	(actuat\$4 near3 (electric\$4 or electronic\$4)) and ((angle or angular or position) near3 (sens\$4 or detect\$4))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:10
L25	119	(actuat\$4 near3 (electric\$4 or electronic\$4)) and ((angle or angular or position) near3 (sens\$4 or detect\$4)) and (variable near2 geometry)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:11
L26	72	(actuat\$4 near3 (electric\$4 or electronic\$4)) and ((angle or angular or position) near3 (sens\$4 or detect\$4)) and (variable near2 geometry) and actual\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:12

L27	24	(actuat\$4 near3 (electric\$4 or electronic\$4)) and ((angle or angular or position) near3 (sens\$4 or detect\$4)) and (variable near2 geometry) and (actual\$3 near3 (angle or angular or position))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 13:14
-----	----	---	---	----	-----	------------------

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	0	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output near3 shaft)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:00
L2	0	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:01
L3	6	( ((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:00
L4	6	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:01
L5	6	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)).clm.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:21
L6	37	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)) and motor and (gear or gears)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:22
L7	8	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output and shaft)) and motor and (reduct\$4 near3 (gear or gears))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 14:23
L8	7	((angle or angular or position) near3 (sens\$4 or detect\$4)) and electronic\$4 and (variable near3 (nozzle or nozzles)) and (output near4 shaft)) and motor and (reduct\$4 near3 (gear or gears))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:29

L9	181	60/600-603.ccls. and feedback	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 15:29
L10	61	60/600-603.ccls. and feedback and (vane or vanes)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:41
L11	9	(60/600-603.ccls.) and feedback and (vane or vanes) and (rotat\$4 near3 (speed or speeds))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:43
L12	3	(60/600-603.ccls.) and feedback and (vane or vanes) and (rotat\$4 near3 (output near3 shaft))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:44
L13	20	(60/600-603.ccls.) and feedback and (vane or vanes) and (rotat\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:47
L14	35	(60/600-603.ccls.) and feedback and (rotat\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:48
L15	3028	(electric\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:49
L16	37	(electric\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft) and (variable near3 (vnae or vanes or nozzle or nozzles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:53

L17	11	(electronic\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft) and (variable near3 (vnae or vanes or nozzle or nozzles))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:54
L18	20	(electronic\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft) and (variable near3 (vane or vanes or nozzle or nozzles or geometry))	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:56
L19	1030	(electronic\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:57
L20	160	(electronic\$3 near5 actuat\$4) and feedback and (rotat\$4 near3 shaft) and target and actual	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT; IBM_TDB	OR	OFF	2005/07/26 17:58